

Certificate Of Analysis

Results of Annual Full Panel Testing for Instaflex® Advanced

Product Name:

Instaflex Advanced® (30ct.)

Packaging Lot Number:

BIO8622

Serving Size:

1 Capsule

Bulk Capsules Lot Number:

BIO9006

Test Date:

02/03/2026

Expiration Date:

01/2028



INGREDIENT	SPECIFICATION	RESULT
Turmeric Extract	≥ 200 mg/serving	✓ Verified Result
Resveratrol	≥ 100 mg/serving	✓ Verified Result
AprèsFlex® Boswellia serrata Extract	≥ 100 mg/serving	✓ Verified Result
UC-II®	≥ 40 mg/serving	✓ Verified Result
Total Collagen	≥ 10 mg/serving	✓ Verified Result
Hyaluronic Acid	≥ 5 mg/serving	✓ Verified Result
Black Pepper Extract (BioPerine®)	≥ 5 mg/serving	✓ Verified Result

Prepared By:

Malyssa Campbell

Malyssa Campbell – Quality Assurance

Date: 07/02/2026

This Certificate of Analysis is reflective of the annual full panel testing for Instaflex® Advanced completed 02/03/2026.

These testing results may not correspond with the particular lot number received. Reported values are a combination of results from a third party laboratory and internal validation.